

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 7th April 1956—*contd.*

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
—	C.	D.	C.	D.	C.	D.	—	C.	D.	C.	D.	C.	D.	C.	D.
Bombay—contd.								Madras							
Satara North	3	1	—	—	Madras City	3	1
Sholapur	28	North Arcot . . .	—	..	5	1
Bijapur	1	South Arcot	5	1
Ratnagiri	4	Tiruchirappalli	2
Mahsana	12	Ramnathapuram	2
Banaskantha	17	1	Tirunelveli . . .	—	..	10	2
TOTAL	237	33	Nilgiris	4	1
(Estd. mid-year pop. 39,569 thousands).							Malabar	7	2
Total for w/e 31-3-56	4	1	265	45	TOTAL	38	8
Total for w/e 24-3-56	275	66	(Estd. mid-year pop 38,273 thousands).								
7-yearly mean for the week . . .	3	1	598	85	Total for w/e 31-3-56	59	18
							Total for w/e 24-3-56	51	19
							7-yearly mean for the week . . .	157	86	120	27
Coorg								Manipur							
TOTAL	TOTAL
(Estd. mid-year pop. 263 thousands).							(Estd. mid-year pop. 613 thousands).								
Total for w/e 31-3-56	—	—	Total for w/e 31-3-56	—
Total for w/e 24-3-56	Total for w/e 24-3-56	3
7-yearly mean for the week . . .	—	—	1	—									
Delhi								Orissa							
Delhi City	7	—	Cuttack . . .	5	1	5	..	—
New Delhi	4	Balasore . . .	4	2	3
Delhi Notified Area	2	Puri . . .	5	4	5	—
Rural Circles	3	Sambalpur	5
TOTAL	14	2	Koraput	1
(Estd. Census pop. 1,744 thousands).							Koonjhar	2
Total for w/e 31-3-56	9	1	..	—	Dhenkanal	10
Total for w/e 24-3-56	15	10	—	..	Bolangir Patna	1
7-yearly mean for the week	7	1	Sundargarh	5
							TOTAL . . .	14	7	37
Himachal Pradesh								Orissa							
"N. R."								(Estd. mid-year pop. 15,114 thousands.)							
"N. R."								Total for w/e 31-3-56	17	6	65
Madhya Pradesh								Total for w/e 24-3-56	6	3	53
"N. R."								7-yearly mean for the week . . .	41	28	190	36

Explanation of Symbols used : C. = Cases; D. = Deaths .. = Nil; "N. R." = Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 7th April, 1956—*contd.*

CHOLERA								CHOLERA											
SMALLPOX								SMALLPOX											
PLAGUE								PLAGUE											
—		C.		D.		C.		D.		—		C.		D.		C.		D.	
Punjab (I)								Vindhya Pradesh											
Hissar								"N. R."											
Karnal								West Bengal											
Ambala								Burdwan											
Jullundur								Birbhum											
Ferozepore								Bankura											
TOTAL								Midnapur											
(Estd. census pop. 12,641 thousands.)								Hooghly											
Total for w/e 31-3-56								Howrah											
Total for w/e 24-3-56								24-Parganas											
7-yearly mean for the week								Calcutta											
TOTAL								Nadia											
(Estd. mid-year pop. 706 thousands.)								Murshidabad											
Total for w/e 31-3-56								Malda											
Total for w/e 24-3-56								West Denaipur											
TOTAL								Cooch Bihar											
(Estd. mid-year pop. 26,396 thousands.)								TOTAL											
Total for w/e 31-3-56								Total for w/e 31-3-56											
Total for w/e 24-3-56								Total for w/e 24-3-56											
7-yearly mean for the week								7-yearly mean for the week											
TOTAL								Grand Total for States											
(Estd. mid-year pop. 66,780 thousands.)								Parts (A) & (C)											
Total for w/e 31-3-56								(excluding Bihar,											
Total for w/e 24-3-56								Himachal Pradesh,											
7-yearly mean for the week								Madhya Pradesh,											
TOTAL								and Vindhya Pradesh.)											
(Estd. mid-year pop. 234,772 thousands.)								Corresponding (Estd.											
Total for w/e 31-3-56								mid-year pop. 234,772											
Total for w/e 24-3-56								thousands.)											
7-yearly mean for the week								Corresponding Total for											
TOTAL								w/e 31-3-56											
(Estd. mid-year pop. 66,780 thousands.)								Corresponding Total for											
Total for w/e 31-3-56								w/e 24-3-56											
Total for w/e 24-3-56								Corresponding 7-yearly											
7-yearly mean for the week								mean for the week											
TOTAL								STATES PART (B)											
(Estd. mid-year pop. 66,780 thousands.)								Hyderabad											
Total for w/e 31-3-56								Aurangabad											
Total for w/e 24-3-56								Raichur											
7-yearly mean for the week								Mahbubnagar											
TOTAL								Hyderabad											
(Estd. mid-year pop. 66,780 thousands.)								TOTAL											

Explanation of symbol : used : C.—Cases ; D.—Deaths ; —Nil ; "N.R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 7th April, 1956—contd.

CHOLERA								CHOLERA							
SMALLPOX & PLAGUE								SMALLPOX							
C. D. C. D. C. D.								C. D. C. D. C. D.							
Jammu and Kashmir								Madhya Pradesh							
"N. R."								w/e 31-3-56							
Madhya Bharat								Nagpur				45	6	—	..
"N. R."								Chhindwara	37	13
Mysore								Betul	60	12
Bellary	—	—	2	2	..	Jubbulpore	4
Chitaldrug	29	11	..	Sagar	9	4
Chikmaga'ur	—	..	2	Hoshangabad	31	1
TOTAL	33	13	..	Raipur	8
Patiala and East Punjab States Union								Bilaspur	19	3
TOTAL	Drug	1
Rajasthan								Balaghat	10
"N.R."								Amravati	21	10
Saurashtra								Ycounal	36	1
Gohilwad	2	Akola	79	20
Halar	6	4	..	Buldana	94	20
TOTAL	8	4	..	TOTAL	454	90
Travancore-Cochin								West Bengal							
TOTAL	6	3	..	w/e 31-3-56							
Grand Total for States Part (B)	..	51	27	49	20	Burdwan	4	2	6	2	..
Grand Total for States Parts (A), (B) and (C)	329	155	796	156	Bankura	4	3
ARREAR INFORMATION								Midnapur	15	3	2	1	..
Assam								Hooghly	3	..	2	6	..
w/e 31-3-56 (Revised)								Howrah	10	4	2	2	..
Kamrup	2	1	..	24-Parganas	17	9	1	1	..
Sibsagar	8	3	..	Calcutta	22	10	9	5	..
TOTAL	10	4	..	Nadia	55	25
Hyderabad								West Dinajpur	19	4
w/e 31-3-56 (Revised)								Jalpaiguri	1
Aurangabad	1	Darjeeling	1	1	..
Raichur	15	6	Malda	1
Khammam	3	Cooch Behar	1	1	..
Mahbubnagar	11	9	TOTAL	132	56	44	24
Hyderabad	3								
TOTAL	26	15	4	3	..								

Explanation of symbols used: C.—Cases; D.—Deaths; ..=Nil; "N. R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 7th April, 1956—concl'd.

CHOLERA						SMALLPOX						PLAGUE											
C.		D.		C.		D.		C.}		D.		C.		D.		C.		D.					
Bhopal												Madhya Bharat											
<i>w/e 3-3-56</i>												<i>w/e 24-3-56</i>											
TOTAL			11			21		1		
<i>w/e 10-3-56</i>																							
TOTAL.			70		15												
<i>w/e 31-3-56 (Revised)</i>																							
TOTAL			58		15										
Rajasthan																							
<i>w/e 17-3-56</i>																							
TOTAL			147		21										

POLIOMYELITIS		
(Information based on patients treated in hospitals in important towns)		
Place	Period	Cases
West Bengal	1—15 Feb. 56	3 (Paralytic)
"	16—29 Feb. 56	4 (")
Punjab (I)	1—15 March 56	14 (")
"	16—31 March 56	25 (")

Explanation of symbols used : C.=Cases; D.=Deaths; ..=Nil; "N. R."—Information not received.

New Delhi-2 (INDIA) ;

The 30th April, 1956,

K. MITRA,

for Registrar General, India.

Prosper with the NATION

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.
15-YEAR ANNUITY CERTIFICATES	
Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.	Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 7th April, 1956—*contd.*

Deaths from :—

Town	Mid.-year Popn.-Est. (x 0)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
STATES—(Parts A and C)													
Ajmer													
Ajmer . .	223	98	22.9	1	5	2	5	..	32	7.5	4
Beawar . .	59	20	17.6	7	1	13	11.5	6
TOTAL . .	282	118	21.8	1	..	—	12	2	5	1	45	8.3	10
Andhra													
Adoni†													
Anantpur . .	38	14	19.2	1	..	1	..	7	9.6	..
Anakapelli . .	46	26	29.4	6	3	2	1	24	27.1	8
Bhimavaram . .	36	16	23.1	3	1	5	7.2	2
Chirala	43	18	21.8	2	5	6.0	2
Chittoor†													
Cuddapah . .	42	41	50.8	2	1	2	..	10	12.4	..
Eluru†													
Gudivada . .	36	34	49.1	3	1	9	13.0	3
Guntur . .	147	162	57.4	..	1	..	6	1	4	..	49	17.4	10
Guntakal . .	37	18	25.3	..	1	..	1	2	4	..	20	28.1	4
Kakinada . .	113	35	16.1	..	4	..	15	2	1	..	33	15.2	5
Kurnool . .	68	64	49.0	2	6	1	2	1	32	24.5	4
Masulipatnam . .	88	82	48.5	4	1	2	..	25	14.8	7
Nandyal . .	37	18	25.3	..	1	..	3	1	1	..	10	14.1	1
Nellore . .	95	102	55.8	3	2	1	1	37	20.3	19
Proddatur†													
Rajahmundry . .	122	74	31.5	13	..	1	..	43	18.3	8
Tenali . .	67	49	38.0	1	1	17	13.2	6
Vijayavada . .	201	94	24.4	5	..	3	..	30	7.8	11
Visakhapatnam . .	128	70	28.4	..	2	..	8	..	12	..	52	21.1	11
Vizianagaram . .	75	40	27.7	5	20	13.9	5
TOTAL . .	1,419	957	35.1	2	9	..	82	22	36	3	428	15.7	106
Assam													
Shillong†													
Gauhati . .	51	15	15.3	..	—	..	5	1	17	17.3	..
Dibrugarh†													
Silchar . .	43	8	9.7	1	1	4	4.8	..
TOTAL . .	94	23	12.7	6	2	21	11.6	..
Bhopal													
Bhopal City . .	116	50	22.4	1	..	1	..	2	0.9	..
Bihar													
Arrah . .	70	14	14.4
Bihar †													
Bettiah . .	38	21	28.7	2	1	7	9.6	3
Bhagalpur†													
Chapra . .	69	25	18.8	2	9	6.8	1
Darbhanga . .	93	32	17.9	7	..	2	..	13	7.3	..
Dhantad . .	41	4	5.1	..	6	1	8	10.2	..
Dinapur . .	44	7	8.3	1	2	5	5.9	..
Gaya . .	149	60	20.9	7	2	19	1	42	14.7	..
Hazaribagh	39	10	13.3	1	5	6.7	2
Jamalpur†													
Jamshedpur . .	246	115	24.3	6	..	15	3.2	3

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); — Nil information.

Births and Deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 7th April 1956—contd.

Deaths from:—

Town	Mid year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.	I.D.
Bihar—contd.													
Katihar . . .	51
Monghyr . . .	80	9	5.9	1	..	1	..	3	2.0	..
Muzaffarpur †													
Patna . . .	330	136	21.4	..	1	..	5	1	2		49	7.7	..
Porulia . . .	47	7	7.7	1		2	2.2	..
Ranchi . . .	130	22	8.8	4	1	15	6.0	5
TOTAL . . .	1,427	462	16.8	..	7	..	31	5	30	4	173	6.3	14
Bombay													
Delhi State													
Delhi City . . .	1124	568	26.3	54	9	27	1	148	6.8	55
New Delhi . . .	374	187	26.0	8	2	5	..	73	10.1	19
N.A.C. Civil Station, Delhi . .	117	82	36.4	..	2	..	2	1	5	..	16	7.1	3
Delhi Cantt. . .	50	19	19.8
Delhi Shahdara . .	53	39	38.3	3	5	4.9	2
TOTAL . . .	1,718	895	27.1	..	2	..	67	12	37	1	242	7.3	79
Madhya Pradesh													
Madras													
Ambur . . .	44	31	36.6	2	..	6	7.1	..
Aruppukottai . . .	56	24	22.3	5	1	1	..	15	13.9	2
Bodinayakanur . .	40	25	32.5	3	1	..	7	9.1	3
Cannanore . . .	47	29	32.1	2	..	14	15.5	2
Chidambaram . . .	39	44	58.7	2	3	2	..	23	30.7	5
Coimbatore . . .	234	238	52.9	1	12	13	..	61	13.6	18
Cuddalore . . .	74	71	51.3	2	1	2	..	18	13.0	2
Dindigul . . .	90	45	26.0	2	16	9.2	3
Erode . . .	67	25	19.4	1	1	3	..	10	7.8	5
Gobichetty Palayan	38	8	10.9	1	1.4	1
Guddiyattam . . .	53	36	35.3	1	3	..	10	9.8	2
Kancheepuram . .	90	81	46.8	1	3	18	..	39	22.5	8
Karalkudi . . .	44	18	21.3	1	1	2	..	12	14.2	..
Karur . . .	50	30	31.2	1	..	1	1	5	5.2	1
Kozhikode . . .	176	159	47.0	1	3	8	..	62	18.3	9
Kumbakonam . . .	105	96	47.5	2	7	1	28	13.9	5
Madras . . .	1,703	1,265	38.6	..	1	..	60	182	152	2	578	17.6	161
Mangalore . . .	136	80	30.6	1	..	5	..	36	13.8	7
Mathurai . . .	427	385	46.9	14	12	45	3	161	19.6	43
Mayuram . . .	49	38	40.3	1	2	..	11	10.6	2
Malapalayam†													
Nagapattinam . .	60	59	51.1	3	1	2	1	23	19.9	6
Ottacamund†													
Palmi . . .	40	34	44.2	7	..	17	22.1	4
Palayamkottai†													
Palghat . . .	77	40	27.0	1	1	7	1	24	16.2	2
Periyakulam . . .	34	21	32.1	1	1	2	..	9	13.8	1
Pollachi . . .	51	43	43.8	2	2	..	13	13.3	2
Pudukottai . . .	50	46	47.8	1	3	..	14	14.6	1
Rajapalayam . . .	69	38	28.6	1	3	..	14	10.6	2

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B=Births; B. R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D. D.=Dysentery and Diarrhoea; R. D.=Respiratory Diseases; M. D.=Maternal Deaths; D. R.=Death Rate; I. D.=Infantile Deaths (included in total deaths); ..=Nil information. N.R.=Information not received; ..

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 7th April, 1956—*contd.*

Deaths from :—

Town	Mid.-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.	I.D.
Madras—contd.													
Salem . .	241	126	27.2	7	5	13	..	70	15.1	6
Srirangam . .	42	25	31.0	1	2	10	12.4	1
Srivilliputtur . .	44	28	33.1	2	..	2	..	14	16.5	5
Tanjore . .	118	168	74.0	2	2	5	1	35	15.4	5
Tellicherry . .	42	37	45.8	1	2	16	19.8	..
Tiruchirappalli . .	251	177	36.7	1	7	6	1	51	10.6	8
Tirunelveli . .	80	68	44.2	1	..	3	..	26	16.9	8
Tiruppur . .	63	57	47.0	1	6	1	17	14.0	4
Tiruvannamalai . .	45	37	42.8	1	..	7	18.1	1
Tuticorin . .	111	83	38.9	2	11	..	26	12.2	5
Vaniyambadi . .	43	44	53.2	3	1	3	1	18	21.8	4
Vellore . .	124	128	53.7	1	5	10	1	49	20.5	9
Villupuram . .	39	36	48.0	1	1	1	9	12.3	3
Virudunagar . .	53	44	43.2	1	3	1	..	12	11.8	6
TOTAL . .	5,239	4,067	40.4	..	1	..	114	164	358	17	1,586	15.7	362
Orissa													
Berhampur . .	72	60	43.4	3	3	12	8.7	1
Cuttack . .	117	132	14.3	7	1	5	..	36	16.1	6
Puri . .	53	24	23.6	2	2	..	1	12	11.8	1
TOTAL . .	242	216	46.4	12	6	5	1	60	12.9	8
Punjab(I)													
Ambala . .	65	56	45.1	3	1	..	1	8	6.4	4
Amritsar . .	343	193	29.4	3	19	..	56	8.5	15
Batala . .	62	35	29.5	2	..	2	..	8	6.7	4
Bhiwani . .	57	36	33.0	6	..	1	..	17	15.6	5
Ferozepore† . .	39	28	37.5	3	..	2	..	13	17.4	4
Hissar . .	51	40	41.0	2	6	..	11	11.3	5
Hoshiarpur . .	200	130	34.0	2	1	13	..	26	6.8	14
Jullundur . .	72	47	34.1	4	..	1	..	14	10.2	1
Karnal . .	176	146	43.4	12	..	2	..	17	5.1	7
Ludhiana . .	41	35	44.6	1	1	3	..	8	10.2	2
Moga . .	64	30	24.5	8	1	2	..	12	9.9	6
Panipat . .	34	32	49.2	2	4	6.2	1
Pathankot . .	36	27	39.2	3	1	2	..	9	13.1	2
Rewari . .	105	65	32.4	1	3	..	11	5.5	..
Rohrk . .	50	48	50.0	1	4	4.2	1
Simla . .	34	24	36.9	4	1	3	..	10	15.4	5
Sonapat . .	1429	972	35.4	51	12	59	1	228	8.3	79
TOTAL . .	1429	972	35.4	51	12	59	1	228	8.3	79
Uttar Pradesh													
Agra . .	375	217	30.2	1	33	..	60	8.4	13
Allahabad . .	349	142	21.3	..	2	1	26	..	55	8.2	14
Amroha . .	61	75	64.3	5	..	5	..	19	16.3	8
Bahraich . .	47	34	37.8	2	1	..	1	11	12.2	3
Banaras . .	333	221	30.9	..	1	..	51	12	24	1	187	25.5	49
Balla . .	35	15	22.4	3	4.5	2
Banda . .	32	14	22.9	3	5	8.2	4
Bareilly . .	203	75	19.3	10	3	8	1	29	7.5	2
Bijnor†

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B. = Births; B.R. = Birth Rate; C. = Cholera; S. = Smallpox; P. = Plague; F. = Fever; D.D. = Dysentery and Diarrhoea; R.D. = Respiratory Disease; M.D. = Maternal Deaths; D.R. = Death Rate; I.D. = Infantile Deaths (included in total deaths); .. = Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 7th April, 1956—*contd.*

Town	Mid-year Popn.—Est. (000)	Deaths from:—											
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D	Tot.	D.R.*	I.D.
Uttar Pradesh— <i>contd.</i>													
Budaun	54	38	36.8	4	..	4	..	18	17.4	9
Basti†
Bulandshahr	42	16	19.9	6	6	7.5	2
Chandauli	41	43	53.2	10	1	6	..	20	25.4	5
Dehra Dun	146	30	10.7	..	1	2	1	..	16	5.7	4
Etawah	64	42	34.3	5	..	5	..	21	17.1	3
Faizabad-Ayodhya	88	52	30.9	2	7	4.1	3
Farrukhabad-Fatehgarh	82	62	39.5	6	..	2	..	17	10.8	6
Ferozabad	79	50	33.1	4	14	9.3	6
Ghaziabad	46	44	50.0	5	7	7.9	4
Gazipur	36	24	34.8	6	2	14	20.3	..
Gorkhpur	140	132	49.3	13	7	7	..	38	13.4	10
Gonda	35	12	17.9	1	3	4.5	..
Hapur	49	36	38.4	9	1	6	..	17	18.1	9
Hardwar	64	30	24.5	8	..	3	..	13	10.6	4
Hathras	62	38	32.0	9	3	2	..	24	20.2	12
Jaunpur	56	35	32.7	3	..	5	..	12	11.2	3
Jhansi	116	121	54.5	29	..	5	..	43	19.4	16
Kanpur	734	414	29.5	—	99	19	42	4	276	19.7	73
Kaiganj	34	14	21.5	1	1	1.5	..
Khurja	41	15	19.1	4	..	2	..	8	10.2	4
Koil-Aligarh	150	77	26.8	3	2	4	..	16	5.6	1
Lucknow	494	472	49.9	26	13	18	1	127	13.4	26
Mathura	110	76	36.1	7	..	5	..	15	9.1	2
Mau-Nath Bhanjant†
Meerut	185	101	28.5	6	..	6	1	18	5.1	7
Mirzapur Vindhyachal	97	45	24.2	11	2	2	..	20	10.8	4
Moradabad	164	110	35.1	7	3	12	..	30	9.6	9
Muzaffarnagar	74	51	30.0	9	..	1	..	13	9.2	2
Pilibhit	45	37	43.0	1	..	3	..	11	12.8	5
Rampur†
Saharanpur	162	118	38.1	32	1	1	..	43	13.9	17
Sambhal	65	58	46.6	5	—	7	..	19	15.3	4
Shahjahanpur	99	103	42.3	10	..	1	..	13	5.3	1
Sitapur	49	36	38.2	2	..	5	5.3	3
TOTAL	5,188	3,325	33.3	..	4	..	412	74	248	9	1,272	12.7	348
West Bengal													
Asansol†
Baidyabati†
Bally	66	19	15.1	1	..	1	0.8	..
Bankura†
Bansberia†
Baranagar	90	40	23.2	1	1	4	..	10	5.8	2
Basirhat	39	15	20.1	2	2	2.7	..
Berhampur	64	50	40.8	5	3	2	..	20	16.3	10
Bhadreshwar	34	5	7.7	1	1	..	2	3.1	1
Bhatpara	143	17	6.2	10	..	5	..	24	8.8	12
Budge Budge	32	11	18.0	1	1	3	4.9	..
Burdwan	82	15	9.6	3	..	6	3.8	..
Calcutta	2,984	1,227	21.5	12	6	..	39	64	144	2	631	11.1	176
Chandpur	41	15	19.1	9	11.5	..
Cooch-Behar†

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 7th April, 1956—*contd.*

Town	Mid.-year Popn.-Est. (000)	B.	B.R.*	Deaths from :—							Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.			
West bengal—Contd.													
Darjeeling†													
English-Bazar	36	65	94.4	1	8	11.6	..
Garden Reach	124	3	3	3	..	13	5.5	2
Halisahar	41	5	6.4
Hoogly-Chinsurah	60	56	48.8	2	3	11	9.6	3
Howrah	477	148	16.2	3	7	15	26	..	110	12.1	43
Jalpaiguri†													
Kamarhati†													
Kanchrapara	74	1	0.7
Krishnagar	56	2	1.9	2	1.9	..
Midnapore	45	25	29.0	4	4.6	..
Nabadwip	70	27	20.2	5	4	7	18	13.4	..
Naihati	62	3	2.5	2	1.7	..
North-Barrackpore	36	6	8.7	1	1	1.5	..
Panihati†													
Shantipur	49	15	16.0	2	2.1	..
Serampore	83	27	17.0	2	5	..	2	..	13	8.2	6
Siliguri	44	41	48.7	2	2.4	..
South Dum Dun	83
South Suburban	124	15	6.3	1	3	2	..	13	5.5	8
Titagarh	78	20	13.4	16	1	2	..	20	13.4	2
TOTAL	5,117	1,870	19.0	25	6	..	94	102	195	3	927	9.4	265

STATES—(Part B)

Jammu & Kashmir

"N.R."

Madhya Bharat

Greater Gwalior	273	66	12.6	5	4	1	..	25	4.8	10
Indore	368	140	21.4	27	1	10	2	103	14.6	31
Ujjain	156	46	15.3	..	8	..	13	1	45	15.0	1
Ratlam	73	23	16.4	..	1	..	3	..	3	..	12	8.5	2
Mandsaur	41	13	16.5
TOTAL	911	288	16.4	..	9	..	48	6	14	2	185	10.6	44

Mysore

Bhadravati	55	6	5.6	1	1	1.0	..
Bangalore	977	666	35.4	6	46	97	..	227	12.1	..
Mysore	294	139	24.6	20	9	6	..	80	14.1	..
Kolar Gold Fields	173	44	13.2	2	5	4	..	28	8.4	..
Billary	78	88	58.7	..	1	..	1	..	2	..	11	7.3	..
Davangere	69	27	20.3	6	17	12.8	..
Hospet	45	26	30.0	2	5	5.9	..
Shimoga†													
TOTAL	1,691	996	30.6	..	1	..	37	60	109	1	369	11.3	..

PEPSU

Patiala City	111	46	21.5	10	2	1	..	34	15.9	15
Malerkotla	34	26	39.8	4	..	2	..	7	10.7	2
Bhatinda	39	19	25.3	2	1	5
TOTAL	184	91	25.7	16	3	3	..	46	13.0	17

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimate may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B. = Births ; B.R. = Birth Rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fever, D.D. = Dysentery and Diarrhoea ; R.D. = Respiratory Diseases ; M.D. = Maternal Deaths ; D.R. = Death Rate ; I.D. = Infantile Deaths (included in total Deaths) ; .. = Nil Information ; "N.R." = Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 7th April, 1956—*contd.*

Deaths from :—

Town	Mid-year Popn-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Rajasthan		"N.R."											
Travancore-Cochin													
Alleppey	148	64	22.5	22	7.7	2
Changanacherry†													
Ernakulam	70	52	38.6	3	13	9.7	1
Kottayam	50	36	37.4	1	1	16	16.1	
Mattanchery	85	54	33.0	2	16	9.8	4
Nagercoil	94	59	32.6	3	15	8.3	5
Quilon	75	139	96.4	1	..	1	10	6.9	..
Trichur	76	48	32.8	1	11	7.5	2
Trivandrum City	218	237	56.5	..	1	..	1	9	2.1	1
TOTAL	816	689	43.9	..	1	..	10	2	..	2	112	7.1	18
Saurashtra													
Bhavnagar	157	38	12.6	17	7	3	..	81	26.8	20
Dhoraji	46	30	33.2	4	1	12	13.3	..
Gondal	41	34	43.1	4	6	7.6	..
Jamnagar	122	39	16.6	..	1	..	6	2	2	..	35	14.9	11
Junagadh	65	30	24.0	9	5	1	1	23	18.4	13
Morvi	43	18	21.8	1	..	3	..	5	6.0	..
Porbandar	64	15	12.2	9	1	23	18.7	11
Rajkot†													
Surendranagar†													
Veraval	46	9	10.2	1	1	3	3.4	1
TOTAL	584	213	19.0	..	1	..	51	17	9	1	188	16.7	56
Hyderabad													
Aurangabad	73	11	7.8	1	..	1	0.7	..
Bidar†													
Gulberga	90	40	23.1	2	..	7	..	12	6.9	..
Hyderabad City	1,057	280	13.8	29	4	11	1	86	4.2	3
Jalna†													
Kothagudiam†													
Latur†													
Nanded	80	18	11.7	8	8	5.2	..
Nizambad	67	13	10.1	6	6	4.6	..
Parbhani†													
Raichur†													
Secunderabad City	162	122	39.2	..	1	9	..	26	8.3	7
Warangal	155	14	4.7	4	10	3.4	..
TOTAL	1,684	498	15.4	..	1	..	49	4	28	1	149	4.6	10

ARREAR RETURNS

Hyderabad		<i>For the 31-3-56</i>											
Hyderabad City	1,057	415	20.4	..	1	..	18	1	12	..	89	11.2	7
Secunderabad	162	141	45.2	..	1	..	2	3	7	..	32	10.3	9
Warangal	155	10	3.4	2	..	1	..	8	2.7	..
Aurangabad	73	13	9.3	2	1.4	..
Parbhani	40	4	5.2	..	1	2	2.6	..
Nanded	80	16	10.4	7	7	4.6	..

In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.=Births ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; .. = Nil information. "N.R."=Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 7th April, 1956—*concl'd.*

Deaths from :—

Town	Mid.-year Popn.-Est. (000)	B	B. R*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.	I.D.
Hyderabad—<i>cont'd.</i>													
Nizambad	67	12	9.3	1	1	6	4.7	3
Latur	41	4	5.1	2	..	3	..	5	6.3	..
Kothagudlam	71	56	41.0	2	1.5	..
Gulberga	90	8	4.6	2	..	6	..	6	5.7	..
TOTAL	1,836	679	19.2	..	3	..	33	4	30	1	159	4.5	19
Hyderabad <i>For w/e 24-3-56</i>													
Hyderabad City	1,057	558	27.5	24	4	7	..	155	7.6	8
Secunderabad City	162	149	48.1	4	1	7	..	30	9.7	7
Warangal	155	29	7.5	7	..	2	..	15	5.0	..
Aurangabad	73	10	7.1	2	..	4	2.8	..
Parbhani	40	5	6.5	2	1	3	3.9	..
Nanded	80	16	10.4	8	8	5.2	..
Nizambad	67	15	11.6	2	..	4	1	10	7.8	3
Latur	41	4	5.1	2	..	3	..	5	6.3	..
Gulberga	90	17	9.8	3	..	4	..	8	4.6	..
Total	1,765	803	23.7	52	6	29	1	238	7.0	12
Bihar <i>For w/e 31-3-56</i>													
Arrah	70	3	2.2	1	..	2	..	3	2.2	..
Bihar	68	25	19.1	4	4	3.1	..
Bettiah	38	38	52.0	4	5.5	..
Bhagalpur	126	34	14.0	1	1	15	6.2	..
Chapra	69	43	32.4	2	27	20.4	5
Darbhanga	93	22	12.3	5	..	1	..	8	4.5	..
Dhanbad	41	17	21.6	..	2	1	8	10.2	..
Dinapur	44	6	7.1	1	..	3	6	7.1	..
Gaya	149	21	7.3	10	2	18	1	43	15.0	..
Hazaribagh	39	10	13.3	2	2.7	..
Jamalpur	47	4	4.4
Jamshedpur	246	57	12.1	4	..	15	3.2	3
Katihar	51
Monghyr	80	11	7.2	4	..	1	..	8	5.2	..
Muzaffarpur	84	21	13.0	6	..	2	..	22	13.6	..
Patna	330	119	18.8	4	..	2	..	48	7.6	..
Purulia	47	13	14.4	2	3	3.3	..
Ranchi	130	19	7.6	9	16	6.4	1
TOTAL	1,752	463	13.7	1	2	..	48	3	30	5	232	6.9	9
Madhya Bharat <i>For w/e 31-3-56</i>													
Greater Gwalior	273	48	9.2	2	..	4	..	11	2.1	..
Indore	368	144	20.3	25	2	10	1	75	10.5	18
Ujjain	156	35	11.7	..	7	..	12	1	32	10.7	..
Ratlam	73	13	9.3	3	..	1	..	6	4.1	..
Mandsaur	41	5	6.6	1	2	2.5	1
TOTAL	911	245	14.0	..	7	..	43	3	15	1	126	7.2	19

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rates; I.D.=Infantile Deaths (included in total deaths); ..=Nil Information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 7th April 1956 relate to 207 towns with an estimated population of 28,141 thousands. The total number of towns is 317 and their population is 41,516 thousands. Thus 65% of the total number of towns representing 68% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 15,730 and 5,884 representing birth and death rates of 29.1 and 10.9 per thousand of population respectively.

(a) States (Part A and C) :—The data here relate to 169 towns with an estimated population of 22,271 thousands. Information about Bombay, and Madhya Pradesh could not be included. The total number of towns is 252 and their population is 33,432 thousands. Thus 67% of the total number of towns representing 67% of the total population is covered. The number of births

and deaths recorded in these towns were 12,955 and 4,984 representing birth rates and death rates of 30.2 and 11.6 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(b) States (Part B) :—The data here relate to 38 towns with an estimated population of 5,870 thousands. The total number of towns is 65 and their population is 8,084 thousands. Thus 58% of the total number of towns representing 73% of the total population is covered. The number of births and deaths recorded in these towns were 2,775 and 900 representing birth and death rates of 24.6 and 8.0 per thousand of population respectively. No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 7-4-56		Corresponding w/e last year		Corresponding mean during the previous 5-year period.	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Ajmer	21.8	8.3	†	†	26.1	16.3
Andhra	35.1	15.7	29.4	13.7	†	†
Bihar	16.8	6.3	18.0	6.8	13.5	7.3
Delhi	27.1	7.3	20.3	6.1	23.5	8.2
Madras	40.4	15.7	34.4	15.5	†	†
Orissa	46.4	12.9	40.2	18.9	37.6	21.0
Punjab (I)	35.4	8.3	28.5	8.2	23.8	8.6
Uttar Pradesh	33.3	12.7	24.8	12.3	27.2	15.0
West Bengal	19.0	9.4	16.0	8.3	16.7	10.2
India*	30.2	11.6	27.6	12.0	28.7	15.2

*7 Part 'A' States and 2 Part 'C' States.

†Figures not available

NEW DELHI-2 (INDIA); }
The 30th April, 1956 }

K. MITRA,
for Registrar General, India.

